



# Tripod Turnstile

## CPS-TTL-SS-1

### Features:

- Stainless steel housing
- Bi-direction pass
- Arms auto drop when power off
- Arms auto rise when power on and auto stop on obstacle
- Traffic light indicator
- RFID interface
- Photoelectric inspection
- RS232 socket, LAN socket
- Passenger counter (optional)
- If the passenger do not pass in valid time, the passenger will be locked up again. The valid passing time can be set up by operator.



### Technical Specifications:

Chassis size	1225*280*1000mm
Brake rod length	490mm
Maximum bearing capacity of the brake rod	80kg
Power supply voltage	AC220V±10%/AC110V±10% 50~60HZ
Working voltage	DC12V
Input interface	dry contact signal,12V level signal or DC12V pulse signal with pulse width >100ms drive current >10mA
Passing speed	25~32 people/minute
Temperature	-25°C~+55°C
Relative humidity	≤95% non-condensing

### Applications:



Malls



Government



Airport



Expo Centres



Events



Stadium



Metro/Railways



## TARGET VISION SECURITY SYSTEMS

Regd Office:

11, Upper Ground Floor, New Gupta Colony  
Priyadarshini Vihar, Phase -1, Delhi - 110009.  
E-Mail: shashank@targetvisionindia.co.in  
www.targetvisionindia.co.in